



CODE	DESCRIPTION	PRICE/DELIVERY
SI-SOFTCOOKERXP	Roner Softcooker, for VACUUM COOKING at LOW TEMPERATURE, max working depth 16.5 cm, V.230/1, Kw.2.00, Weight 4.5 Kg, dim.mm.130x260x380h	€ 681,91 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

TECHNOCHEF - SOFTCOOKER/RONER, high precision thermoregulated heater:

- Temperature and operating time display;
- 25 storable programs;
- IP X3 stainless steel structure;
- Max working depth 16.5 cm;
- Automatic protection device in case of dry use;
- Circulation fan to promote excellent mixing of the product;
- Engine blocking device if overvoltage and overtemperature detected;
- Power 2,000 watts;
- 1ph power supply;
- Temperature °C 24+99.

Accessories/Options :

- 1/1 GN stainless steel well with lid
- 2/1 GN stainless steel well with lid

CE mark

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	2,00
net weight (Kg)	4,5
breadth (mm)	130
depth (mm)	260

height (mm) 380

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

SI-VAGN1/1



VASCA INOX GN 1/1

Gastro-Norm 1/1 stainless steel tank with lid, capacity 27 litres, weight 11.5, dim.mm.565x360x230h

€ 215,51

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

SI-VAGN2/1



VASCA INOX GN 2/1

Gastro-Norm 2/1 stainless steel bowl with lid, capacity 57.5, weight 16 Kg, dim.mm.650x530x230h

€ 337,51

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days





A: mm 110

B: mm 105

C: mm 130

D: mm 260

E: mm 170

F: mm 170

G: mm 210

