

#### TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA ITO200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



#### PROFESSIONAL DESCRIPTION

#### SOOT REMOVER for WOOD OVENS and GRILLS:

- made of 304 Aisi 18/10 stainless steel, 15 mm thick,
- $\circ\;$  automatic operation with water fume treatment ,
- o filtering with G2 755 micro-stretched mesh filters,
- water tank control and distribution via automatic float ,
- $\circ~$  high pressure stainless steel water pump, heat resistance 110°C,
- $\circ~$  Unbreakable, explosion-proof electrical control panel .
- NB- IMPORTANT:
- The flue, downstream (... at the exit) of the machine, **must be airtight**, as the condensation that will form inside will have to **return/fall** either **inside the tank of the machine itself**, or conveyed into a drain.
- The machine, in addition to breaking down soot, creates a 'draft effect 'helping to expel fumes from the exiting flue.
- If the flue is **particularly long**, winding and **the use of an extractor** is necessary, it is important to maintain the air speed in the flue within certain parameters that will be provided by the manufacturer.

MADE IN ITALY

### **AVAILABLE MODELS**

#### MZAGF/200



#### Soot eliminators

Stainless steel soot eliminator for wood-burning ovens and grills, CAPACITY 250-500 mc / h, V 230/1, kw 0.75, dim. mm 1000x650x850h

€ 2.980,23

VAT escluded

Shipping to be calculed

**Delivery** from 8 to 15 days

#### MZAGF/250



# Soot destroyers

Soot abatement device in stainless steel for woodburning ovens and grills, CAPACITY 400-800 mc/h, V 230/1, kw 0.75, dim. mm 1000x650x850h **€ 3.514,58** *VAT escluded* 

Shipping to be calculed

Delivery from 8 to 15 days

#### MZAGF/300



#### Soot destroyers

Soot abatement device in stainless steel for woodburning ovens and grills, CAPACITY 1000-2000 mc/h, V 230/1, kw 1,5, dim. mm 1150x750x950h

# € 3.927,33

VAT escluded
Shipping to be calculed

Delivery from 8 to 15 days

#### MZAGF/300T



#### Soot destroyers

Soot abatement device in stainless steel for woodburning ovens and grills, CAPACITY 1000-2000 mc/h, V 380/3, kw 1,5, dim. mm 1150x750x950h

# € 3.927,33

VAT escluded
Shipping to be calculed

Delivery from 8 to 15 days

#### MZAGF/400



# Soot destroyers

Stainless steel soot suppressor for wood-burning ovens and grills, FLOW RATE 2500-4500 mc/h, V 230/1, kw 3, dim. mm 1300x1150x1450h

# € 8.021,35

VAT escluded
Shipping to be calculed

Delivery from 8 to 15 days

#### MZAGF/400T



### Soot destroyers

Stainless steel soot suppressor for wood-burning ovens and grills, FLOW RATE 2500-4500 mc/h, V 380/3, kw 3, dim. mm 1300x1150x1450h

# € 8.021,35

VAT escluded
Shipping to be calculed

**Delivery** from 8 to 15 days

#### MZAGF/500



**Soot destroyers**Soot abatement device in stainless steel for wood-burning ovens and grills, CAPACITY 4000-7000 mc/h, V 230/1, kw 4, dim. mm 1600x1250x1450h

# € 11.392,68

VAT escluded
Shipping to be calculed

Delivery from 8 to 15 days

#### MZAGF/500T



# Soot destroyers

Soot abatement machine in stainless steel for woodburning ovens and grills, CAPACITY 4000-7000 mc/h, V 380/3, kw 4, dim. mm 1600x1250x1450h

# € 11.392,68

VAT escluded
Shipping to be calculed

**Delivery** from 8 to 15 days

#### MZAGF/600T



# Soot destroyers

Soot abatement device in stainless steel for woodburning ovens and grills, CAPACITY 5000-9000 mc/h, V 380/3, kw 5.5, dim. mm 1600x1250x1450h

## € 12.420,52

VAT escluded
Shipping to be calculed

Delivery from 8 to 15 days

# TECHNICAL CARD

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

#### MZ-EVAGF/1



Exhaust Solenoid Valve from 1 "-1/4 for MZAGF / 200-250-300

€ 505,83

VAT escluded

Shipping to be calculed

**Delivery** from 4 to 9 days

# MZ-EVAGF/2



# 2 "Exhaust Solenoid Valve for MZAGF $\!\!/$ 350-400-500-600

€ 743,15

VAT escluded

Shipping to be calculed

**Delivery** from 4 to 9 days

MZ-CPG/200		€ 742,64	
	<b>Soundproofed outdoor cover</b> Soundproof outdoor cover for MZAGF / 200	VAT escluded Shipping to be calculed	
		<b>Delivery</b> from 4 to 9 days	
MZ-CPG/250	Soundproofed outdoor cover Soundproofed outdoor cover for MZAGF / 250	€ 742,64  VAT escluded  Shipping to be calculed	
		<b>Delivery</b> from 4 to 9 days	
MZ-CPG/300	Soundproofed outdoor cover Soundproof outdoor cover for MZAGF / 300	€ 877,11  VAT escluded  Shipping to be calculed	
		<b>Delivery</b> from 4 to 9 days	
MZ-CPG/400	Soundproofed outdoor cover Soundproofed outdoor cover for MZAGF / 400	€ 1.588,53  VAT escluded  Shipping to be calculed	
		<b>Delivery</b> from 4 to 9 days	
MZ-CPG/500	Soundproofed outdoor cover Soundproofed outdoor cover for MZAGF / 500	€ 2.617,41  VAT escluded  Shipping to be calculed	
		<b>Delivery</b> from 4 to 9 days	
MZ-CPG/600	<b>Soundproofed outdoor cover</b> Soundproofed outdoor cover for MZAGF / 600	€ 2.617,41  VAT escluded  Shipping to be calculed	
		<b>Delivery</b> from 4 to 9 days	

Abbattitori di fuliggine con possibilità di installazione interna											
ART.	PORTATA MC/H	CAPACITÀ RISERVA ACQUA LT	% Al	12320000	IMENTO polveri mg/Nm		POTENZA ASSORBITA Kw/H - A	Volt	Ø CANALE INGRESSO FUMI Ø CANALE USCITA FUMI	DIMENSIONI	
AGF/200	250 - 500	80	82%	30%	40%	0,75	HP-5,6 A	230 V	200 mm	1000x650x85(	
AGF/250	400 - 800	80	82%	30%	40%	0,75	HP1-5,6 A	230 V	250 mm	1000x650x850	
AGF/300	1000 - 2000	120	82%	30%	40%	1,5 1,5		230 V 320 V	300 mm	1150x750x950	
AGF/350	1500 - 3500	120	82%	30%	40%	1,85 1,85 1,85		230 V 230 T 380 T	350 mm	1150x750x950	
AGF/400	2500 - 4500	350	82%	30%	40%	3		230 V 380 T	.400 mm .	1300x1150x1450	
AGF/500	4000 - 7000	350	82%	30%	40%	4	HP5,5-14,7 A HP5,5-8,5 A	230 V 380 T	500 mm ingrisse 600 mm esets	1600x1250x1450	
AGF/600	5000 - 9000	350	82%	30%	40%	5,5	HP7,5-12 A	380 T	600 mm ingresso 900 mm usolta	1600x1250x1450	

