

## TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
EO-QR742	HEATED countertop display cabinet, QUADRO line, with base and top in WENGE colored wood, structure in SATIN NICKEL, 1 intermediate glass shelf, drop-down glass doors on the 2 fronts, V.220/1, Kw.0.27 , dim.mm.740x350x465h	€ 656,51  VAT escluded  Shipping to be calculed  Delivery from 8 to 15 days

## PROFESSIONAL DESCRIPTION

## HEATED Countertop DISPLAY CABINET, QUADRO Line:

- base and top in WENGE' colored MDF wood;
- $\circ \ \ \textbf{SATIN NICKEL} \ metal \ \textbf{structure} \ ;$
- $\circ$  bottom shelf and 1 removable intermediate glass shelf ;
- $\circ~$  temperature on the 2 floors of 65-50 °C;
- $\circ \ \ \textbf{sides} \ \text{in tempered glass;}$
- $\circ \ \ \text{thermostat switch/warning light;}$
- drop-down glass doors on 2 fronts;
- o rubber feet.

## CE mark Made in Italy

TECHNICAL CARD  power supply Monofase  Volts V 220/1  frequency (Hz) 50  motor power capacity (Kw) 0,27  net weight (Kg) 24  breadth (mm) 740  depth (mm) 350			
Volts V 220/1  frequency (Hz) 50  motor power capacity (Kw) 0,27  net weight (Kg) 24  breadth (mm) 740  depth (mm) 350	TECHNICAL CARD		
frequency (Hz) 50 motor power capacity (Kw) 0,27 net weight (Kg) 24 breadth (mm) 740 depth (mm) 350	power supply	Monofase	
motor power capacity (Kw) 0,27  net weight (Kg) 24  breadth (mm) 740  depth (mm) 350	Volts	V 220/1	
net weight (Kg) 24  breadth (mm) 740  depth (mm) 350	frequency (Hz)	50	
breadth (mm)         740           depth (mm)         350	motor power capacity (Kw)	0,27	
<b>depth (mm)</b> 350	net weight (Kg)	24	
· · · · · · · · · · · · · · · · · · ·	breadth (mm)	740	
haint (mm) ACE	depth (mm)	350	
neight (mm) 465	height (mm)	465	









