



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
MM-AF12	ISOTHERMAL container in POLYETHYLENE, for maintaining hot, cold or frozen foods, 90 lt capacity, version with FRONT OPENING suitable for containing GASTRO-NORM 1/1, 1/2 and 1/3 PANS, Weight 16 Kg, dim.mm. 440x665x650h	€ 324,76 <i>VAT excluded</i> Shipping to be calculated Delivery
PROFESSIONAL DESCRIPTION		

ISOTHERMAL CONTAINER in POLYETHYLENE, for keeping hot, fresh or frozen foods, version with FRONT OPENING suitable for containing GASTRO-NORM 1/1 PANS and submultiples, capacity 90 litres:

- suitable for the **controlled temperature transport of hot, fresh and frozen multi-portion meals** for catering companies and collective catering operators;
- **front opening** that allows you to **easily insert Gastro-Norm 1/1, 1/2 and 1/3 containers** ;
- equipped with **12 constant pitch guides** , which make it ideal for transporting Gastro-Norm containers of the same height;
- **capacity 90 liters** ;
- **easily stackable** and **movable** ;
- designed for use with the '**Active Door**' activation system, to extend hot bond transport times;
- equipped with a built-in **label holder** on the door, for identifying the contents or destination;
- door that can be easily opened even in the case of multiple stacked containers, to facilitate loading operations;
- practical and **effective closing system** , consisting of 2 closing hooks in shockproof material and an easily removable internal door seal;
- equipped with **integrated stainless steel grip links** , comfortable, safe and extremely functional;
- equipped with **a door that opens up to 240°** and is easily removable, to facilitate washing in the dishwasher;
- equipped with **hinges in shockproof and stress-resistant material** ;
- equipped with **adjustable vent** ;
- designed for use with **eutectic plates** to extend the internal temperature maintenance times (hot, fresh or frozen);
- **composition of Gastro-Norm 1/1 pans and submultiples** : 1 plate+2x200h 4x100h, 3x150h, 6x65h;
- **guaranteed for use from -30° to +100°C** ;
- designed for use with **eutectic plates** to extend the internal temperature maintenance times;
- **excellent isothermal capabilities** that allow meals to be kept at the optimal storage temperature for a long time;
- ensures **correct thermal maintenance** , limiting the risks of bacterial proliferation and preserving the quality of foods and their organoleptic properties;
- allows you to operate correctly in a HACCP environment;
- **materials** used for manufacturing are **suitable for food contact** over the entire surface of the container;
- **designed to last over time** : its performance remains practically unchanged with reuse;
- completely recyclable at the end of its operational life;
- External dimensions (mm):440x665x650h
- Internal dimensions (mm):330x533x515h.

ACCESSORIES/OPTINAL :

- Polyethylene trolley for Mod.MM-AF12 and Mod.MM-KOALA90, weight 8 Kg, dim.mm.505x685x205h.
- Trolley locking kit for Mod.MM-AF12.
- Active door with cable and digital thermostat, for Mod.MM-AF12, V.230/1, Kw.0.2, Weight 5.2.
- Active port with cable, for Mod.MM-AF12, V.230/1, Kw.0.2, Weight 5.2.
- Body to be combined with active door for Mod.MM-AF12, capacity 90 lt, melange colour, external dimensions mm.440x665x650h.
- Gastro-Norm 1/1 hot eutectic plate with practical grip handles, red, weight 4 Kg, dim.mm.530x325x30h.
- Gastro-Norm 1/1 fresh eutectic plate with practical grip handles, pink colour, weight 4 Kg, dim.mm.530x325x30h.
- Gastro-Norm 1/1 frozen eutectic plate with practical grip handles, blue colour, weight 4 Kg, dim.mm.530x325x30h.
- Gastro-Norm 1/1 super-fresh eutectic plate with practical grip handles, white colour, weight 4 kg, dim.mm.530x325x30h.


CE mark

Made in Italy

TECHNICAL CARD

net weight (Kg)	16
breadth (mm)	440
depth (mm)	665
height (mm)	650

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
MM-PEGS0001 	TECHNOCHEF - Fresh eutectic plate GN 1/1, Mod. PEGS0001 Gastro-Norm 1/1 fresh eutectic plate with practical grip handles, pink color, Weight 4 Kg, dim.mm.530x325x30h	€ 47,27 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

MM-PEGS9001



TECHNOCHEF - Super-fresh eutectic plate GN 1/1, Mod.PEGS9001

Gastro-Norm 1/1 super-fresh eutectic plate with practical grip handles, white color, Weight 4 Kg, dim.mm.530x325x30h

€ 51,30

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MM-PEGS0002



TECHNOCHEF - GN 1/1 frozen eutectic plate, Pink, Mod.PEGS0002

Gastro-Norm 1/1 frozen eutectic plate with practical grip handles, blue color, Weight 4 Kg, dim.mm.530x325x30h

€ 52,93

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MM-PEGS0003



TECHNOCHEF - Hot eutectic plate GN 1/1, Mod.PEGS0003

Gastro-Norm 1/1 hot eutectic plate with practical grip handles, red ones, Weight 4 Kg, dim.mm.530x325x30h

€ 62,35

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MM-RR137



TECHNOCHEF - Carriage locking kit, Mod.RR137

Carriage locking kit for Mod.MM-AF12

€ 80,81

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MM-THS20009



TECHNOCHEF - Polyethylene trolley, Mod.THS20009

Polyethylene trolley for Mod.MM-AF12 and Mod.MM-KOALA90, Weight 8 Kg, dim.mm.505x685x205h

€ 220,02

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MM-3125H006F



TECHNOCHEF - Body without AF12 door, Mod.3125H006F

Body to be combined with active door for Mod.MM-AF12, capacity 90 lt, melange color, outside dim.mm.440x665x650h

€ 275,92

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MM-3B3M0018



Gastronorm isothermal containers

Active door with cable, for Mod.MM-AF12, V.230 / 1, Kw.0,2, Weight 5.2.

€ 578,24

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MM-3B3M0016



Gastronorm isothermal containers

Active door with cable and digital thermostat, for Mod.MM-AF12, V.230 / 1, Kw.0,2, Weight 5.2.


€ 666,62

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days




ALLOGGIAMENTO BACINELLE GN 1/1 e sottomultipli



2x200
più
piastra
eutettica



3 x150



4x100



6x65