

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



60 de	SHWASHER with LIFT HOOD in POWERED VERSION ith 600x500 mm SQUARE rack, 4 cycles of 0/90/120/240 sec, max yield of 60 racks/hour, electric etergent and rinse aid dispenser, V.400/3+N, Kw .6,74, eight 162 Kg, dim.mm.720x770x1900h	€ 3.171,20 VAT escluded Shipping to be calculed Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

DISHWASHER with LIFTING HOOD in ENHANCED VERSION with 600x500mm SQUARE rack, max output of 60 racks/hour, DIGITAL CONTROLS:

- The bodywork is entirely made of AISI 304 steel and has been designed with all the components in the front part to allow easy assistance by the technician;
- Digital controls with display;
- 4 wash cycles of 60/90/120/240 seconds;
- o Max useful height: plates 400mm, pots 395mm,
- Suitable for 600x400 mm trays (pizza-pastry);
- 60 liter bread baskets (H=400),
- Stainless steel washing impellers diameter 30 mm. with molded helical castings;
- Stainless steel rinse impeller with adjustable rotation speed;
- Adjustable electric rinse aid dispenser;
- · Adjustable electric washing detergent dispenser;
- Stainless steel washing detergent injector welded onto the tank;
- Pump filter :
- 2-piece full-tank stainless steel integral filter;
- Control system via electronic card with simple and extremely efficient Dip-Switch,
- Setting and control of washing and rinsing temperatures ,
- o Adjustable Thermostop function which guarantees better results,
- Display showing temperatures and selected wash cycle,
- \circ Intelligent Start button ,
- Self-diagnosis system
- The electronic control allows you to manage various parameters to give you a great level of customization based on your needs while the selfdiagnosis allows you to reduce machine downtime to a minimum by already suggesting some simple operations to perform to resolve the situation,
- Scheduled Maintenance Notice,
- Automatic additional rinse cycle,
- 1 Automatic drain cycle (with drain pump installed),
- · Adjustable drain and rinse time,
- Temperature reading via precise NTC probes,
- o Stainless steel washing and rinsing impellers,
- $\circ\,$ Double detergent and rinse aid dispenser installed as standard ,
- Double wall molded tub with capacity of liters. 37;
- Tank resistance Kw.4.5,
- Boiler capacity 7.3 litres,
- Boiler resistance Kw.5.4.
- $\circ~$ 1.34 kW (1.8 Hp) washing pump,
- Recommended water hardness 7÷10 °f,
- $\circ~$ Water consumption per cycle at 2 bar: 2.0 lt.

Supplied:

- $\circ~$ 1 basket for 22 plates, dim mm. 500x600x100h
- 1 basket for glasses, dim mm. 500x600x100h
- 1 cutlery basket with 8 places
- 1 tray basket 10/12 places dim.mm.500x600x100h.
- o 2 integral tank filters

Accessories/Options :

- **23138** 0.5 Hp pressure pump kit.
- 18698 Kit of 4 adjustable stainless steel feet 50-70 mm.
- 17516 Pressure pump installed 0.5 Hp
- 21116 Drain pump installed 32W.
- **22440** 32W drain pump.

CE mark Made in Italy

TECHNICAL CARD		
power supply	Trifase	
Volts	V 400/3 +N	
frequency (Hz)	50	
motor power capacity (Kw)	6,74	

gross weight (Kg) 162 breadth (mm) 720 depth (mm) 770 height (mm) 1900

TECHNICAL CARD

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

TCF322-002612



TECHNOCHEF - 32W drain pump kit

32W drain pump kit for dishwasher with liftable hood, post-sale installation

€ 163,21

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

TCF322-002603



TECHNOCHEF - Pressure pump kit 0,5 Hp

0.5 Hp rinsing pressure pump kit, after-sales installation, suitable for glass washers, undercounter dishwashers and canopy

€ 166,82

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

TCF322-002611



TECHNOCHEF - Drain pump installed 32W

32W drain pump installed for dishwasher with liftable hood

€ 176,61

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

TCF322-002601



TECHNOCHEF - Pressure pump installed 0.5 HP

Rinsing pressure pump installed 0.5 Hp, suitable for glass washers, undercounter dishwashers and canopies

€ 188,45

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

