



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
EM-ECO25	EUROMATIC BENCH VACUUM PACKAGING MACHINE, ECOVAC Line, CHAMBER mm. 260X300X160h, SEALING BAR 250 mm, VACUUM PUMP 6/7,2 metres/cubic/hour, DIGITAL CONTROLS, V.230/1, Kw. 0.35, Weight Kg.38, dim. external mm. 360x400x400	€ 1.177,96 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

BENCH VACUUM PACKAGING MACHINE, ECOVAC Line :


- **made of stainless steel;**
- **empty chamber mm 260x300x160h** , made of **stainless steel pressed in a single piece** with rounded corners for maximum hygiene and ease of cleaning;
- **250 mm sealing bar** , removable;
- fast welding cycle with adjustable time;
- **digital control panel** with 9 storable programs;
- timed vacuum cycle with automatic start when the bell is closed and automatic reopening at the end of the cycle;
- **6/7.2 metres/cubic/hour vacuum pump** ;
- **transparent tank lid** with automatic lifting by means of pistons;
- **1 program for marinating meat** ;
- **Sealing bar** with completely removable wiring;
- **Pump self-cleaning/heating system** for optimal management of the packaging machine, with relative reduction of maintenance times and costs;
- **Cycle counter system** for general appliance maintenance management;
- **GASTROVAC function** for creating an external vacuum in GN containers;
- **EXTRAVAC function** , which offers a second vacuum phase lasting 5 seconds (particularly suitable for minced and boned meat);
- Fast Stop/Weld;
- **Carter with 90° opening** to facilitate access inside the packaging machine;
- Filling trays as standard;
- Adjustable hinges.
- **Note** : Possibility of **external vacuum** with **the use of embossed envelopes** (as visible in the photo).

OPTIONALS/ACCESSORIES:

- Possibility of **vacuuming in external containers** or **gastro-norm trays** using the special kit - Code EMATUBOGN.
- Arrangement for **inert gas kit** - Code EMGASINERTE.
- Sealing **Bar with Piston Lifting** - Cod. EMBSP.
- Sealing **bar with bag surplus cut (scrap)** - Code EMTS.
- Bell stop bar - Cod.EMBF.
- Inclined plane for liquid packaging - Cod.EMPI.
- Trolley for machine support - Cod.EMCR.

CE mark**Made in Italy****TECHNICAL CARD**

power supply	Monofase
Volts	V 230/1
frequency (Hz)	5060
net weight (Kg)	38
breadth (mm)	360
depth (mm)	400
height (mm)	400





VUOTO ESTERNO CON BUSTE GOFFRATE

