



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>TK-EKF364NUD</b>	VENTILATED ELECTRIC CONVECTION OVEN with DIRECT STEAM, Professional for PASTRY and BAKERY, with cooking chamber for 3 600x400 mm TRAYS, ELECTROMECHANICAL CONTROLS, V.230/1, Kw.3.7, Weight 44 Kg, dim.mm.784x754x504h	<b>€ 1.162,76</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
PROFESSIONAL DESCRIPTION		

**VENTILATED ELECTRIC CONVECTION OVEN with DIRECT STEAM for PASTRY and BAKERY, with cooking chamber for 3 600x400 mm TRAYS:**

- **cooking chamber in AISI 304 stainless steel** ;
- **lateral supports with guides** for **3 600x400 mm trays** , **73 mm pitch** ;
- **box door** with **flap opening** (from top to bottom) and inspectable glass;
- **electromechanical controls** located on the lower side with **timer function, thermostat and 5-position steam and humidity selector** ;
- **direct steam into the cooking chamber** which can be operated with a specific **5-position selector** with **humidification function** ;
- **adjustable temperature from 100° to 260°C** with a special **thermostat** ;
- **fan** in the cooking chamber with **rotation reversal device** (to the left and to the right);
- cooking chamber gasket recessed into the frame;
- **forced cooling system** of internal components;
- **possibility of overlapping** with another oven of the same type.

**Supplied :**

- 1600 mm long power cable without plug.

**Accessories/Options :**

- Aluminum tray, dim.mm.600x400x20h - Cod.TK-KT9PA.
- Perforated aluminum tray, dim.mm.600x400x20h - Cod.TK-KTF8PA.
- Perforated aluminum tray with 5 channels, dim.mm.600x400x20h - Cod.TK-KTF9P.
- Chromed grill, dim.mm.600x400 - Cod.TK-KG9P.
- 5-channel AISI 304 stainless steel grill, dim.mm.600x400 - Cod.TK-KG5CPX.
- Base support for ovens in 430 stainless steel, on legs with lower shelf - Cod.TK-EKT411.
- Base support for ovens in 430 stainless steel, on legs with lower shelf and wheels - Cod.TK-EKTR411.
- Base support for ovens in 430 stainless steel, with lower shelf and pairs of guides for inserting 6 Gastro-Norm 1/1 trays (530x325 mm), or 6 grids measuring 600x400 mm - Cod.TK-EKTS411.
- Base support for ovens in 430 stainless steel, with lower shelf and wheels with pairs of guides for inserting 6 Gastro-Norm 1/1 trays (530x325 mm), or 6 grids measuring 600x400 mm - Cod.TK-EKTRS411.
- Support for stacking ovens in 430 stainless steel, on legs with lower shelf - Cod.TK-EKT411D.
- Proofer - Code TK-EKL864N.
- Proofer with wheels - Cod.TK-EKL864NR.
- Air flow reducer - Cod.TK-EKRPA.
- Tank, 7 lt. - Cod.TK-EKSA.
- Pump kit with hose and filter - Cod.TK-KKPU.



**CE mark**


**Made in Italy**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	3,7
<b>net weight (Kg)</b>	44
<b>breadth (mm)</b>	784
<b>depth (mm)</b>	754
<b>height (mm)</b>	504

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>TK-KG9P</b> 	<b>Bakery ovens and bakery</b> Chromed grid, dim.mm.600x400	<b>€ 17,67</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>TK-KT9PA</b> 	<b>Steam convection ovens</b> Aluminum tray, dim.mm.600x400x20h	<b>€ 21,21</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

**TK-KG5CPX****Steam convection ovens**

AISI 304 5-channel stainless steel grille,  
dim.mm.600x400

**€ 45,51**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days**TK-KTF8PA****Steam convection ovens**

Perforated aluminum tray, dim.mm.600x400x20h

**€ 28,28**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days**TK-KTF9P****Steam convection ovens**

5-channel pierced aluminum tray, dim.mm.600x400x20h

**€ 63,01**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days**TK-KKPU****Pump kit**

Pump kit with tube and filter

**€ 83,20**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days**TK-EKSA****Water tank**

Water tank Lt.7

**€ 124,80**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days**TK-EKT411D****Support for superposition of stainless steel ovens on legs with lower shelf**

Support for overlapping 430 stainless steel ovens, on legs with lower shelf for Mod: TK-EKF311; TK-EKF364; TK-EKF411 and TK-EKF464, Weight Kg.45, dim.mm.785x670x541h

**€ 387,87**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days**TK-EKT411****Base support for stainless steel ovens on lower shelf legs**

Base support for 430 stainless steel ovens on lower shelf legs for Mod: TK-EKF311; TK-EKF364; TK-EKF411 and TK-EKF464, Weight Kg.28, dim.mm.785x670x791h

**€ 436,30**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days**TK-EKTR411****Base support for stainless steel ovens on lower shelf legs and wheels**

Base support for 430 stainless steel ovens on lower shelf legs and wheels for Mod: TK-EKF311; TK-EKF364; TK-EKF411 and TK-EKF464, Weight Kg.30,6, dim.mm.801x686x833h

**€ 460,51**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days**TK-EKTS411****Base support for stainless steel ovens with lower shelf and pair of guides**

Base support for 430 stainless steel ovens with lower shelf and pairs of guides for inserting 6 Gastro-Norm 1/1 trays (530x325 mm), or 6 mm.600x400 grids, for Mod: TK-EKF311; TK-EKF364; TK-EKF411 and TK-EKF464, Weight Kg.34, dim.mm.785x670x791h

**€ 460,51**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

**TK-EKTRS411****Base support for stainless steel ovens with lower shelf and wheels with couple guides**

Base support for 430 stainless steel ovens with lower shelf and wheels with pairs of guides for inserting 6 GN 1/1 (mm 530X325), or 6 mm.600x400 grids, for Mod: TK-EKF311; TK-EKF364; TK-EKF411 and TK-EKF464, Weight Kg.36,6, dim.mm.801x686x833

**€ 508,94***VAT excluded***Shipping to be calculated****Delivery** from 4 to 9 days**TK-EKL864N****Proofer support cabinet**

Prover with glass door, capacity 8 trays/grids mm 600x400, V.230/1, Kw.2,4, weight 43,6 Kg, dim.mm.795x655x835h

**€ 944,82***VAT excluded***Shipping to be calculated****Delivery** from 4 to 9 days**TK-EKL864NR****Prover support cabinet with wheels**

Prover with glass door and wheels, capacity 8 trays/grids mm 600x400, V.230/1, Kw.2,4, weight 45,3 Kg, dim.mm.795x655x835h

**€ 993,25***VAT excluded***Shipping to be calculated****Delivery** from 4 to 9 days