



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>FM-PANE3240</b>	PANASONIC Professional microwave oven, with MANUAL CONTROLS, cooking chamber mm.565x330x250h, suitable for 2 GN 1/1 trays, power output W 3200, 4 magnetrons of 800 W, V 400/3+N, Kw 4.96, weight 54 Kg, dim.mm 650x526x471h	<b>€ 4.015,07</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

**PROFESSIONAL DESCRIPTION**

**Professional PANASONIC microwave oven, with MANUAL CONTROLS, suitable for 2 Gastro-Norm 1/1 trays, power output 3200 W:**

- external structure in stainless steel ;
- fixed bottom in ceramic glass ;
- functioning both on one level and on two levels, thanks to the glass-ceramic shelf supplied as standard;
- power output : High 3200 Watt, Medium 1600 Watt, Low 340 Watt, Defrost 170 Watt;
- 4 800 Watt magnetrons which allow for better distribution of the microwaves in the chamber ;
- 565x330x250h mm cooking chamber, 44 litres, suitable for 2 Gastro-Norm 1/1 trays (530x325 mm), on two levels;
- manual analog controls with rotary knob ;
- timer : High 60 min, Medium 60 min, Low 60 min, Defrost 60 min;
- equipped with cycle counter;
- downward opening of the door which therefore becomes a firm support surface ;
- comfortable and sturdy steel handles for easy grip;
- ideal for restaurants, trattorias, canteens, hotels and large kitchens in general.

**CE mark**  
**Made in JAPAN**

**TECHNICAL CARD**

<b>power supply</b>	Trifase
<b>Volts</b>	V 400/3 +N
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	5,00

<b>net weight (Kg)</b>	65
<b>gross weight (Kg)</b>	73
<b>breadth (mm)</b>	650
<b>depth (mm)</b>	526
<b>height (mm)</b>	471