



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>FO-G-GNV1200DT</b>	Professional 2-door combined refrigerator/freezer cabinet, 304 stainless steel structure, double temperatures -2°/+8°C, -18°/-22°C, 507+507 litres, ventilated refrigeration, R290 gas, Gastronorm 2/ 1, Kw.0.255+0.75, Weight 195 Kg, dim.mm.1340x830x2010h	<b>€ 2.059,18</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days

**PROFESSIONAL DESCRIPTION**

**COMBINED FRIDGE/FREEZER CABINET with 2 DOORS, capacity 507+507 litres, dual temperature -2°/+8°C, -18°/-22°C :**

- **made of AISI 304 stainless steel ;**
- external bottom and back panels in galvanized sheet metal;
- bottom with rounded corners;
- **suitable for containing Gastro-Norm 2/1 grills** or containers (650x530 mm);
- capacity 507+507 litres;
- **ventilated refrigeration ;**
- incorporated group;
- evaporator positioned retractably in order to have maximum available space;
- engine compartment with insulated sides;
- **electronic temperature control with digital thermostat ;**
- double operating temperature -2°/+8°C, -18°/-22°C (2 refrigeration groups 2 separate compartments);
- electric resistance around the door frame to eliminate condensation;
- **automatic defrost** with electric resistance and **automatic control** of the defrost temperature;
- **ECOLOGICAL Refrigerating Group with R290 Gas ;**
- **maximum ambient temperature : +32°C;**
- **maximum ambient humidity : 55% HR;**
- automatic evaporation of condensation water;
- anti-corrosion treated evaporator;
- **insulation thickness 60 mm ;**
- door lock with key;
- door seal removable without tools;
- **feet in AISI 304 stainless steel, adjustable in height .**

**Supplied :**

- n.6 Gastro-Norm 2/1 grills
- n.12 guides

**Options/Accessories :**

- pair of guides for grid support - Code FOCG21
- Gastro-Norm 2/1 plasticized grill - Cod.FOGRP21
- kit of 4 wheels diameter 120 mm, 2 of which with brake - Code FORUO120

**CE mark****Made in ASIA****TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	1,005
<b>net weight (Kg)</b>	195
<b>breadth (mm)</b>	1340
<b>depth (mm)</b>	850
<b>height (mm)</b>	2010

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>FOGRP21</b> 	<b>Plasticized grid GN 2/1</b> Plastic grill Gastro-norm 2/1, (cm 53x65)	<b>€ 11,56</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>FOCG21</b> 	<b>Pair of stainless steel guides</b> Pair of stainless steel guides for plasticized grid	<b>€ 25,77</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

**FO-RUO120**



**Forcar - 4 wheels kit, 2 with brake**

4 wheels kit with 120 mm diameter, 2 of which with brake.

**€ 78,62**

*VAT excluded*

**Shipping to be calculated**

**Delivery** from 4 to 9 days